

I hereby certify that this paper and/or fee is being deposited with the United States Postal Service "EXPRESS MAIL POST OFFICE TO ADDRESSEE" service under 37 CFR §1.10 on the date indicated below and is addressed to: Mail Stop Patent Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Michelle Fitzsimmons

DATE OF DEPOSIT: June 20, 2003

Signature

EXPRESS MAIL LABEL NO.: EV331728154US

Inventor(s): William G. Pagan

METHOD AND SYSTEM FOR PERFORMING AUTOMATIC STARTUP APPLICATION LAUNCH ELIMINATION

FIELD OF THE INVENTION

The present invention relates to computer systems, and more particularly to a method and system for automatically eliminating startup applications from being launched during the startup sequence.

5

BACKGROUND OF THE INVENTION

Conventional computer systems typically launch a number of applications during startup. For example, Figure 1 is a diagram of a conventional computer system 10. The computer system 10 includes a conventional operating system (OS) 12 having a conventional startup sequence 13, and conventional applications 14, 16, 18, and 20. The startup sequence 13 thus controls the applications which are launched upon startup of the OS 12. The applications 14, 16, and 18 are launched during the startup sequence 13 of the OS 12 of the computer system 10. Consequently, applications 14, 16, and 18 are termed startup applications 14, 16, and 18. The startup applications 14, 16, and 18 may place themselves in the startup sequence 13 during installation or may be placed there by

10

15

the user. Note that the number of applications shown is for exemplary purposes only. There are generally a larger number of startup and other applications 14, 16, 18, and 20. Because they are startup applications, each time that the conventional OS 12 starts up, the startup applications 14, 16, and 18 launch. These startup applications 14, 16, and 18 remain in the startup sequence 13 unless the user manually removes the startup applications 14, 16, and 18 from the startup sequence 13.

Although many startup applications 14, 16, and 18 are launched, many of the startup applications are extraneous for one reason or another. Some startup applications 14, 16, and 18 may be seldom (or never) used by the user. Such applications may have corresponding icons that are seldom selected by the user or may be killed by the user. Other startup applications 14, 16, and 18 may crash regularly. Other startup applications 14, 16, and 18, such as spyware, may exhibit unintended or undesired behavior. Other startup applications may require hardware not existing on the conventional computer system 10. Furthermore, as more applications are placed in the startup sequence 13 (automatically or by express request by the user) the time required to perform the startup sequence 13 increases. Thus, performance of the conventional computer system 10 degrades. This decrease in the level of performance occurs even though at least some, and potentially many, of the startup applications 14, 16, and 18 are seldom used and/or undesirable for other reasons. It may, therefore, be desirable for the user to remove one or more of the startup applications 14, 16, and 18 from the startup sequence 13 of the OS 12.

Figure 2 is a flow chart depicting a conventional method 30 for removing extraneous startup applications from the startup sequence 13. The startup sequence 13

launches all startup applications 14, 16, and 18, via step 32. Step 32 occurs each time the conventional computer system 10 starts up or is rebooted. In other words, step 32 essentially executes the startup sequence, which launches applications upon the OS startup. During operation of the conventional computer system 10, the user determines whether one or more of the startup applications 14, 16, and 18 is extraneous, via step 34. Thus, in step 34 the user tracks the startup applications 14, 16, and 18 and determines which, if any, of the startup applications 14, 16, and 18 the user desires to eliminate from the startup sequence 13 for any reason. For example, step 34 might include the user determining which, if any, applications are seldom or never used. The user also determines how to remove the startup applications from the startup sequence, via step 36. For example, step 36 might include determining the location of the system registry (not shown) to access the startup sequence 13 and determining which data to remove from the startup sequence 13. The user then manually removes the extraneous startup applications 14, 16, and/or 18 from the startup sequence, via step 38.

Although the method 30 functions, one of ordinary skill in the art will readily recognize that the user may not have the technical skill to determine in step 34 which startup applications 14, 16, and 18 are extraneous. The user may also not be capable of determining the location of the startup sequence 13 in order to remove the startup applications from the startup sequence 13. Furthermore, even if the user can locate and access the startup sequence 13, the use may not have sufficient knowledge to remove the startup application(s) 14, 16, and 18 from the startup sequence. Thus, the conventional computer system 10 continues to have a degradation in performance during startup.

Accordingly, what is needed is a system and method for automatically removing extraneous startup applications from the startup sequence. The present invention addresses such a need.

5 **SUMMARY OF THE INVENTION**

The present invention provides a method and system for controlling a startup sequence in a computer system. The method and system comprise monitoring at least one aspect of a plurality of startup applications launched during the startup sequence. The method and system further comprise analyzing the at least one aspect of the plurality
10 of startup applications based on at least one criteria. The at least one criteria indicates whether a portion of the plurality of startup applications is extraneous at startup. The method and system further comprise automatically removing from the startup sequence at least one of the portion of the plurality of startup applications that is extraneous.

According to the system and method disclosed herein, the present invention
15 provides a mechanism for more easily removing extraneous startup applications from the startup, thereby allowing for improved performance of the computer system

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a diagram of a conventional computer system.

20 Figure 2 is a flow chart depicting a conventional method for removing extraneous startup applications from the startup sequence.

Figure 3 is a high-level flow chart depicting one embodiment of a method in accordance with the present invention for removing extraneous startup applications from the startup sequence.

Figure 4 is a more-detailed flow chart depicting one embodiment of a method in accordance with the present invention for removing extraneous startup applications from the startup sequence.

Figure 5 is a diagram of a computer system capable of automatically removing extraneous startup applications from the startup.

DETAILED DESCRIPTION OF THE INVENTION

The present invention relates to an improvement in computer systems. The following description is presented to enable one of ordinary skill in the art to make and use the invention and is provided in the context of a patent startup application and its requirements. Various modifications to the preferred embodiment will be readily apparent to those skilled in the art and the generic principles herein may be applied to other embodiments. Thus, the present invention is not intended to be limited to the embodiment shown, but is to be accorded the widest scope consistent with the principles and features described herein.

The present invention provides a method and system for controlling a startup sequence in a computer system. The method and system comprise monitoring at least one aspect of a plurality of startup applications launched during the startup sequence. The method and system further comprise analyzing the at least one aspect of the plurality of startup applications based on at least one criteria. The at least one criteria indicates

whether a portion of the plurality of startup applications is extraneous at startup. The method and system further comprise automatically removing from the startup sequence at least one of the portion of the plurality of startup applications that is extraneous.

5 The present invention will be described in terms of a particular computer system and particular method having certain steps. However, one of ordinary skill in the art will readily recognize that this method and system will operate effectively for other computer systems and other methods having different and/or additional steps not inconsistent with the method and system. The present invention is also described in the context of certain criteria. However, one of ordinary skill in the art will readily recognize that the method
10 and system are not limited to such criteria. Instead, additional and/or other criteria could be used.

To more particularly illustrate the method and system in accordance with the present invention, refer now to Figure 3, depicting one embodiment of a method 100 in accordance with the present invention for removing extraneous startup applications from
15 the startup sequence of a computer system. The method 100 preferably commences after startup of the computer system. In addition, the method 100 may store statistics so that the behavior of the computer system over time and across multiple startup operations could be utilized.

The startup applications are monitored, via step 102. One or more aspects of the
20 startup applications could be monitored in step 102. Such aspects could include but are not limited to characteristics of the startup application, the behavior of the startup application, and/or components used by the startup application. For example, the lifetime (time between launch and termination) and/or method of termination of the startup

applications could be monitored. The use of the startup application could also be monitored. For example, if the startup application loads an icon for using the application, the frequency with which the icon is accessed could be monitored in step 102. The frequency with which the startup application is launched could also be monitored. If the startup application requires certain hardware, the presence or absence of the hardware might be monitored in step 102. For example, for a startup application which monitors LAN traffic, the presence or absence of a corresponding PCMCIA network card could be monitored in step 102. The behavior of the startup application might be monitored. For example, in order to determine whether one or more startup applications include unauthorized spyware, it could be monitored whether the startup application(s) routinely accesses certain Internet addresses. Similarly, the crash rate of the startup application and/or of the computer system on which the startup application resides could also be monitored. Note that any combination of one or more of the above aspects, or other aspects, could be monitored in step 102.

Step 102 could also include saving data relating to the aspects of the startup applications that are monitored. Thus, the aspects of the startup applications could be monitored and, as discussed below, analyzed across multiple startups.

The aspects of the startup applications that are monitored in step 102 are analyzed against certain criteria to determine whether one or more of the startup applications are extraneous, via step 104. As used herein, an application that is extraneous has certain aspect(s) that fit the criteria. In addition, an application need not be completely unnecessary or never used in order to be considered extraneous. Instead, the startup application may merely be undesirable for the reasons described below. For example, if

the lifetime is monitored in step 102, the corresponding criteria could include a minimum threshold for the lifetime, such as a few seconds. If the lifetime of the startup application is less than this threshold, the application might be considered to be extraneous because the short lifetime indicates that the user terminates the application. Similarly, if the method of termination is monitored in step 102, the criteria could include certain user-initiated methods of termination such as a manual exit/close action or the use of a task manager to terminate the application. If such a method of termination is regularly utilized by the user, it may indicate that the user finds the application undesirable for some reason. If the behavior of the startup application is monitored in step 102, then the criteria used could include whether the startup application repeatedly accesses certain Internet addresses, or exhibits other behavior of spyware. In addition, if the presence of hardware used by the startup application is monitored in step 102, then the criteria could include the presence or absence of the hardware. If the hardware required by the startup application is not present, then the startup application might be considered extraneous. Similarly, if the crash rate of the startup application and/or of the computer system on which the startup application resides are monitored, then the criteria may include particular thresholds. If the crash rates meet or exceed these thresholds, then the applications might be considered extraneous. If a combination of one or more of the above aspects, or other aspects, is monitored then the criteria against which the aspects are analyzed may be a combination of disparate criteria.

If it is determined that some portion of the startup applications are extraneous, then some of these extraneous startup applications are automatically removed from the startup sequence, via step 106. In a preferred embodiment, step 106 includes informing

the user of the extraneous startup applications as they are discovered and allowing the user make a decision to either keep or remove the startup applications from the startup sequence. In such an embodiment step 106 would also include the automatic removal of the selected extraneous startup applications without requiring the user to have any
5 additional knowledge of the startup sequence. However, in an alternate embodiment, step 106 could include the automatic removal of one or more of the extraneous startup applications without allowing the user to select which extraneous applications are removed. Furthermore, in yet another embodiment, step 106 could include offering a user the choice of removing the extraneous startup application from the startup sequence
10 and uninstalling the extraneous startup application. In such an embodiment step 106 would also include either removing the extraneous startup application from the startup sequence or uninstalling the extraneous startup application, depending upon the user's choice. Moreover, in an alternate embodiment, the "user" need not be a person. Instead, notification of extraneous startup applications and selection of one or more appropriate
15 claims could be to a portion of the OS or other software.

Thus, using the method 100, extraneous applications may be removed from the startup sequence. Thus, the number of applications launched upon startup of the OS may be reduced. The time to complete the startup sequence is thereby decreased and performance of the computer system improved. Furthermore, no special knowledge in
20 the user relating to the startup applications or the startup sequence is required. Consequently, the control over the startup sequence is improved.

Figure 4 is a more-detailed flow chart depicting a preferred embodiment of a method 110 in accordance with the present invention for removing extraneous startup

applications from the startup sequence. The startup applications are monitored, via step 12. One or more aspects of the startup applications could be monitored in step 112. Thus, step 112 is analogous to step 102. Step 112 could also include saving data relating to the aspects of the startup applications that are monitored. Thus, the aspects of the startup applications could be monitored and, as discussed below, analyzed across multiple startups.

The aspects of the startup applications that are monitored in step 112 are analyzed against certain criteria to determine whether one or more of the startup applications are extraneous, via step 114. Thus, step 114 corresponds to step 104.

If it is determined that some portion of the startup applications are extraneous, then the user is notified of the extraneous startup applications, via step 116. Step 116 preferably includes providing the user with a prompt or other warning indicating that certain startup applications are extraneous. The user is allowed to select which (if any) of the extraneous startup applications are desired to be removed from the startup sequence, via step 118. Step 118 may include allowing a user to enter the identity of the startup applications that are both extraneous and desired to be removed from the startup sequence. In an alternate embodiment, step 118 may include providing the user the option of uninstalling the extraneous startup application. Note that steps 114 and 118 could be merged into a single step that provides, for example, a prompt that lists the extraneous startup applications with boxes or other indicia for selecting the extraneous startup applications to be removed from the startup sequence, for example by clicking on the appropriate box. Also in step 118, the user preferably selects whether or not to blacklist the startup application being removed.

The selected extraneous applications are automatically removed from the startup sequence, via step 120. Note that if the user had decided to uninstall the extraneous startup application, then step 120 would uninstall the application instead of removing the extraneous startup application from the startup sequence. One or more of the selected startup applications may be optionally blacklisted, via step 122. When a startup application is blacklisted, the startup application is removed from the startup sequence until the user explicitly indicates that the startup application is to be returned to the startup sequence.

Thus, using the method 110, extraneous applications may be removed from the startup sequence. Thus, the number of applications launched upon startup of the OS may be reduced. The time to complete the startup sequence is thereby decreased and performance of the computer system improved. Furthermore, no special knowledge in the user relating to the startup applications or the startup sequence. Consequently, the control over the startup sequence is improved.

Figure 5 is a diagram of a computer system 200 capable of automatically removing extraneous startup applications from the startup sequence. The computer system 200 includes an OS 202, a startup application elimination module 210, a startup applications 204, 206, and 208, application 220, and startup sequence 222. The OS 202 and applications 204, 206, 208, and 220 correspond to the OS 12 and the applications 14, 16, 18, and 20 depicted in Figure 1. Similarly, the startup sequence 222 corresponds to the startup sequence 13 of Figure 1.

Referring back to Figure 5, the startup application elimination module 210 is preferably used to implement the methods 100 and/or 200. Thus, the startup application

elimination module 210 monitors the aspects of the ISPE 204, 206, and 208, determines whether the standard applications 204, 206, and 208 are to be removed from the startup sequence 222, preferably allows for selection of the startup applications actually removed from the startup sequence, and automatically removes the selected applications from the startup sequence. In one embodiment, the startup application elimination module 210 may also uninstall the extraneous startup application, if desired. Furthermore, the startup application elimination module 210 preferably blacklists selected startup applications.

Thus, using the methods 100 and 110 and/or the startup application elimination module 210, extraneous startup applications can be automatically removed from the startup sequence. Consequently, the startup sequence can be performed in a smaller amount of time and performance improved. Furthermore, the user need not have specialized knowledge about the startup sequence 213 or the applications 204, 206, 208, and 220.

A method and system has been disclosed for controlling the startup sequence of a computer system in order to remove extraneous startup applications from the startup sequence. Software written according to the present invention is to be stored in some form of computer-readable medium, such as memory, CD-ROM or transmitted over a network, and executed by a processor. Consequently, a computer-readable medium is intended to include a computer readable signal which, for example, may be transmitted over a network. Although the present invention has been described in accordance with the embodiments shown, one of ordinary skill in the art will readily recognize that there could be variations to the embodiments and those variations would be within the spirit and scope of the

present invention. Accordingly, many modifications may be made by one of ordinary skill in the art without departing from the spirit and scope of the appended claims.